| LAB USE ONLY | 1. Choose Prezurv Arches and Quantity: Full: Select Arch: Upper Lower Both # per Arch: 2 4 8 12 Include Pontic Shade Location |
|--|---|
| Prezurv [™] Clear Retainer System Rx Prezurv [™] | 2. Bundle with Memotain: Upper Only Lower Only Both |
| Dr Acct # | 3. Additional Fixed Retainer Options: |
| City, State, Zip | E-Z Bond Retainer (includes transfer tray) |
| Patient | Mesh Pad Bonded - pads on cuspids |
| Tel # Fax # | Composite pads on all anteriors |
| E-Mail Placement Date Shipped Placement Date (PLACEMENT DATE SHOULD BE 1-2 DAYS BEFORE ACTUAL INSERTION DATE) | M.C.L.R. (Krause) (indicate mesh pads on diagram) |
| Submitted scans digitally through: Lythos iTero 3M Box Other (Submit digital Rx to: digital.services@aoalab.com) Special Instructions | $\square Include Transfer Tray$ Please mark either diagram. 7 6 5 4 3 2 1 1 2 3 4 5 6 7 R 7 6 5 4 3 2 1 1 2 3 4 5 6 7 R |
| Prezury™ is a set of clear retainers designed to hold your teeth's ideal | 4. Additonal Options: Bleaching Tray Upper Lower Add Reservoirs |
| position. Prezurv is made from a clear durable material and is used to prevent relapse and maintain your healthy, beautiful smile. | 5. In Office Marketing Supplies |
| Allesee Orthodontic Appliances - 13931 Spring Street - Sturtevant, WI 53177 Phone 1-800-262-5221 - Fax 262-886-6879 - International 262-886-1050 | Send complimentary office counter top display kit Send refill pamphlets for display |

Dr. Signature _____

AOA

Laboratory Use Only

| IMP | |
|---------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| PTC | |
| | |
| DIG | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| POSTAGE | |