

LAB USE ONLY

Splint Rx

Dr. _____ Acct # _____
 Address _____
 City, State, Zip _____
 Patient _____
 Tel # _____ Fax # _____
 E-Mail _____
 Shipped _____ Placement Date _____
 (PLACEMENT DATE SHOULD BE 1-2 DAYS BEFORE ACTUAL INSERTION DATE)

Please Ship Extra

Shipping Boxes Prescription Sheets


Submitted scans digitally through:

Medit iTero 3Shape Midmark Other _____

(Submit digital Rx to: digital.services@aolab.com)

Special Instructions:

Splint Instructional Drawings



Bite Registration Instructions

Checked and approved by Dr. - Use as is Checked by Dr. - Call if questions

For digital scans, please provide bite parameters:

Open Vertical _____ mm **Advance** _____ mm

Allesee Orthodontic Appliances - 13931 Spring Street - Sturtevant, WI 53177
Phone 1-800-262-5221 - Fax 262-886-6879 - International 262-886-1050

Flat Plane Occlusal Splint

Upper Lower
 Full coverage with even contact of opposing arch. Counter model suggested with wax bite.

Superior Repositioning Splint

Upper Lower (Tanner splint)
 Full coverage on upper arch with anterior ramp designed to provide protrusive and cuspid protection. Both upper and lower models with *centric relation bite required*. Bite should provide 1-2 mm minimum anterior opening for acrylic durability.

Mounted models for adjustable articulators are recommended.

Anterior Repositioning Splint

Upper Lower
 Full coverage upper appliance with anterior ramp designed to "capture" the lower anterior teeth and hold the mandible in a forward/ anterior position. Lower appliance consist of posterior coverage indexed with upper lingual cusps connected with an anterior lingual band of acrylic. Forward upper and lower models. *Bite reflecting anterior position.*

Roth Splint Instructions

Repositioning Splint Anterior Repositioning Splint
 2 clasps (standard) Length of splint ramp _____ mm
 4 clasps Clasp type Adams Ball

Materials

Splint Grade Acrylic
 Pressure formed Biocryl base - Add Acrylic No Acrylic
 Soft Vinyl appliance - 2mm 3mm
 Dual Hardness - Soft inner surface with hard outer shell
 Color Clear Color _____

Bleaching Tray

Upper Lower Vinyl no Bleach Reservoirs Vinyl with Bleach Reservoirs
Indicate Reservoirs on Diagram

Clasps - Not available with Soft Vinyl or Dual Hardness Materials

Mark location on diagram
 Ball Adams Arrow "C"

Retention Splint

Requires upper and lower models and construction wax bite.
 Please Check Bite Registration Instructions

Damon

Hard Pressure formed
 Dual Hardness with Soft Liner
 Elastic Silicone

MORA (deep occlusal indents) **GELB** (point contact)
 Lower splint with posterior coverage connected with a heavy metal bar lingual of the incisors. Counter model is recommended with a wax bite reflecting desired occlusal acrylic thickness.

Anterior Open Bite Splint - AOB
 Upper posterior coverage with transpalatal bars. Buccal hooks are incorporated. Counter model advised. This appliance is used with implant screws (not available though AOA), which provides accelerated intrusion of upper posterior quadrants.

Anterior Open Bite Retainer

Doctor Signature _____

